


# Computation / Level 6

Name: \_\_\_\_\_ Student ID: \_\_\_\_\_


Teacher: \_\_\_\_\_ School: \_\_\_\_\_ School Year: \_\_\_\_\_



Acadience Learning  
www.acadiencelearning.org



Acadience is a registered trademark of Acadience Learning Inc.



© 2019 Acadience Learning Inc.

## Progress Monitoring 1

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

Notes:

## Notes:

## Progress Monitoring 2

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 3

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 20

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 19

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 4

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 5

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 18

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 17

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 6

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 7

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 16

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |



## Progress Monitoring 15

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 8

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 9

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 14

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 13

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 10

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 11

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |

## Progress Monitoring 12

| Problems | Skills Assessed  |
|----------|--|
| 1        | Add two decimals to the tenths place, without renaming.  |
| 2        | Subtract two decimals to the hundredths place, without renaming.   |
| 3        | Multiply a two-digit number by a three-digit number.   |
| 4        | Divide a four-digit dividend by a two-digit divisor, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder.                       |
| 5        | Add or subtract two mixed numbers with unlike denominators.  |
| 6        | Add two decimals to the hundredths place, with renaming.   |
| 7        | Subtract two decimals to the hundredths place, with renaming.  |
| 8        | Multiply two decimals to the tenths place, without renaming.   |
| 9        | Divide a three-digit dividend by a decimal to the tenths place, resulting in a quotient and no remainder.  |
| 10       | Add two decimals to the hundredths place, with renaming.   |
| 11       | Multiply a single digit number by one decimal to the tenths place, with renaming.  |
| 12       | Divide a four-digit dividend by a two-digit divisor, where the divisor does not evenly go into the first two or three digits of the dividend, resulting in a quotient and no remainder.                |
| 13       | Multiply a decimal to the tenths place by a decimal to the hundredths place.   |
| 14       | Divide a decimal to the hundredths place by a decimal to the tenths place, resulting in a quotient and no remainder.   |
| 15       | Subtract two decimals to the hundredths place, with renaming.  |
| 16       | Divide a decimal to the hundredths place by a decimal to the tenths place, where the divisor evenly goes into the first two or three digits of the dividend, resulting in a quotient and no remainder. |